Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
# L1	16	(alert\$1 near5 notification\$1) same type\$1 and filter\$3 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	Operator OR	OFF	2006/03/20 16:06
L2	83	filter\$3 same (alert\$1 or notification\$1)same sever\$5 and (@ad<"19970715" or @rlad<"19970715") not L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:06
L3	3	filter\$3 same (alert\$1 or notification\$1)same sever\$5 same risk\$1 and (@ad<"19970715" or @rlad<"19970715") not L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:07
L4	15	(alert\$1 or notification\$1) and filter\$3 same sever\$5 same risk\$1 and (@ad<"19970715" or @rlad<"19970715") not L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:07
L5	0	(alert\$1 or notification\$1) and filter\$3 same sever\$5 same risk\$1 same prior\$6 and (@ad<"19970715" or @rlad<"19970715") not L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:08
L6	14	(alert\$1 or notification\$1) and filter\$3 same sever\$5 same risk\$1 and prior\$6 and (@ad<"19970715" or @rlad<"19970715") not L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/20 16:08
L7	15	(alert\$1 or notification\$1) and filter\$3 same sever\$5 same risk\$1 and (@ad<"19970715" or @rlad<"19970715") not L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:09
L8	. 15	(alert\$1 or notification\$1) and filter\$3 same sever\$5 same risk\$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/20 16:09

			· .			
L9	1	(alert\$1 or notification\$1) and filter\$3 same sever\$5 same risk\$1 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:10
L10	1338	(alert\$1 or notification\$1) and filter\$3 same sever\$5 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:10
L11	81	(alert\$1 or notification\$1)same filter\$3 same sever\$5 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:11
L12	13	(alert\$1 or notification\$1)same filter\$3 same severit\$3 and (@ad<"19970715" or @rlad<"19970715") not l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:15
L13	15	(alert\$1 or notification\$1)same filter\$3 same risk and (@ad<"19970715" or @rlad<"19970715") not l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:16
L14	278	(alert\$1 or notification\$1)same filter\$3 same level\$1 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:17
L15	0	(alert\$1 or notification\$1)same filter\$3 same level\$1 near2 loss\$2 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:17
L16		(alert\$1 or notification\$1)same filter\$3 same level\$1 near2 danger\$3 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:18

L17	0	(alert\$1 or notification\$1)same filter\$3 same level\$1 near2 damag\$4 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:18
L18	30	(alert\$1 or notification\$1)same filter\$3 same damag\$4 and (@ad<"19970715" or @rlad<"19970715") not l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:19
L19	0	(alert\$1 or notification\$1)same filter\$3 same danager and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:19
L20	9	(alert\$1 or notification\$1)same filter\$3 same danger and (@ad<"19970715" or @rlad<"19970715") not l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:20
L21	278	(alert\$1 or notification\$1)same filter\$3 same level\$2 and (@ad<"19970715" or @rlad<"19970715") not l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/20 16:20
L22	11	(alert\$1 or notification\$1)same filter\$3 same level\$2 and (@ad<"19970715" or @rlad<"19970715") not l6 and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:30
L23	0	(alert\$1 or notification\$1)same risk near2 level\$2 and (@ad<"19970715" or @rlad<"19970715") not I6 and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:23
L24	5	(alert\$1 or notification\$1)same risk\$1 near2 level\$2 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:25

L25		(aloute 1 or notification #1) came	US-PGPUB;	OR	OFF	2006/03/20 16:25
L23	0	(alert\$1 or notification\$1)same vulnerability near2 level\$2 and (@ad<"19970715" or @rlad<"19970715") not I6	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OI F	2000/03/20 10:25
L26	0	(alert\$1 or notification\$1)and filter\$4 same vulnerability near2 level\$2 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:25
L27	3	filter\$4 same vulnerability near2 level\$2 and (@ad<"19970715" or @rlad<"19970715") not I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:25
L28	10	(alert\$1 or notification\$1)same filter\$3 and filter\$4 near15 level\$2 and (@ad<"19970715" or @rlad<"19970715") not l6 and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:30
L29	. 5	(alert\$1 or notification\$1)same filter\$3 and filter\$4 near15 level\$2 and (@ad<"19970715" or @rlad<"19970715") not I22 and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/20 16:31
L30		(alert\$1 or notification\$1)same risk near15 level\$2 and (@ad<"19970715" or @rlad<"19970715") not I22 and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 16:31
S83 .	345	alert\$1 near10 notification\$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/18 16:23
S84	145	alert\$1 near10 notification\$1 and responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:23

•		<u> </u>	·			
S85	0	alert\$1 near10 notification\$1 near15 path\$1 and responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	·OR	OFF	2006/03/18 16:24
S86	. 27	alert\$1 near10 notification\$1 same responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:29
S87	145	alert\$1 near10 notification\$1 and responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/18 16:31
S88	0	alert\$1 near10 notification\$1 near10 (path\$1) and responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:29
S89	4	alert\$1 near10 notification\$1 near10 rout\$4 and responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/18 16:29
S90	118	alert\$1 near10 notification\$1 and responsib\$6 and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:39
S91	13	alert\$1 near10 notification\$1 and responsib\$6 and escalat\$3 and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:31
S92	48721	alert\$1 near10 notification\$1 and responsib\$6 same "15" (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:39

		· · · · · · · · · · · · · · · · · · ·				
S93	47	alert\$1 near10 notification\$1 and responsib\$6 same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:49
S94	14	alert\$1 near10 notification\$1 and (user\$1 or person\$5) near15 responsib\$6 same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:48
S95	151	(user\$1 or person\$5) near15 responsib\$6 same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:00
S96	60	alert\$1 near10 notification\$1 and responsib\$6 same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:50
S97	137	S95 not S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:50
S98	1114	determin\$5 near15 (user\$1 or person\$5) same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:02
S99	6	determin\$5 near15 (user\$1 or person\$5) near15 assign\$4 same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:02
S10 0		determin\$5 near15 (user\$1 or person\$5) near15 responsib\$8 same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:04

					·	
S10 1	71	determin\$5 near15 (user\$1 or person\$5) near15 (rout\$4 or path\$1) same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715") not \$86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:09
S10 2	556	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and (@ad<"19970715" or @rlad<"19970715") not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:09
S10 3	556	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:20
S10 4	0	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and (user\$1 or person\$4) near15 assign\$4 near15 (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:11
S10 5	97	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and (user\$1 or person\$4) near15 (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:12
S10 6	3	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and responsib\$6 near15 (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:12
S10 7	2	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and level near10 responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:14
S10 8		(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and level near10.assign\$4 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:15

•			-			
S10 9	11855	(alert\$1 or notification\$1).ab. and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:15
S11 0		(alert\$1 or notification\$1).ab. and (rout\$4 or send\$4 or notify\$4)same level near3 responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:16
S11 1	5 ·	(alert\$1 or notification\$1).ab. and level near3 responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ,	2006/03/18 17:16
S11 2	28	(alert\$1 or notification\$1).ab. and (rout\$4 or send\$4 or notify\$4)same assign\$4 near3 (user\$1 or person\$3) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:17
S11 3	3	(alert\$1 or notification\$1).ab. and (rout\$4 or send\$4 or notify\$4)same (alert\$1 or notification\$1) near15 assign\$4 near3 (user\$1 or person\$3) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:17
S11 4	28	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and responsib\$4 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:20
S11 5	30	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:22
S11 6	2	(rout\$4 or path\$1) same (alert\$1 or notification\$1).ab. and escalat\$5 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/03/18 17:23

S11 7	45	(alert\$1 or notification\$1).ab. and escalat\$5 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/03/18 17:39
S11 8	18	(alert\$1 or notification\$1).ab. and escalat\$5 and assign\$4 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:39
S11 9	0	(alert\$1 or notification\$1).ab. and escalat\$5 and assign\$4 near15 responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:40
S12 0	11	(alert\$1 or notification\$1).ab. and assign\$4 near15 responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:43
S12 1	18	(alert\$1 or notification\$1)same assign\$4 near15 responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:41
S12 2	18	(alert\$1 or notification\$1)same assign\$4 near15 responsib\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:41
S12 3	265	responsib\$6 near15 (alert\$1 or notification\$1)and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:44
S12 4	70	(user\$1 or person\$4) near15 responsib\$6 near15 (alert\$1 or notification\$1)and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 17:45

		•		·	_	
S12 5	4	("5941996" "5857190").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 18:09
S12 6	2	"20030018771"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 09:39
S12 7	1	"20030018771" and multi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:27
S12 8	1	"20030018771" and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/20 10:27
S12 9	. 14	alert\$1 near10 notification\$1 near15 object\$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:37
S13 0	. 16	alert\$1 near10 notification\$1 near15 type and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2006/03/20 10:41
S13 1	0	alert\$1 near10 notification\$1 and type same name same location same severity same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:43
S13 2	1	alert\$1 near10 notification\$1 and type same name same location same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:43

S13 3	112	alert\$1 and type same name same location same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:43
S13 4	38	alert\$1 and notification\$1 and type same name same location same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:45
S13 5	1	alert\$1 and notification\$1 and type same name same location same severity same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:43
S13 6	1	alert\$1 and notification\$1 and filter\$4 same type same name same location same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:45
S13 7	2	notification\$1 and filter\$4 same type same name same location same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:46
S13 8	14	filter\$4 same type same name same location same time and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:47
S13 9	0	filter\$4 same type same name same location same time same prior\$6 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:47
S14 0	0	filter\$4 same type same name same location same time same (alert\$1 or notification\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:47

S14 1	15497925	filter\$4 near15 alert\$1 near5 notification (@ad<"19970715" or	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/03/20 10:48
		@rlad<"19970715")	DSOCK; EPO; JPO; DERWENT; IBM_TDB			
S14 2	. 1	filter\$4 near15 (alert\$1 near5 notification\$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:48
S14 3	47	(alert\$1 near5 notification\$1) same type\$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:02
S14 4	16	(alert\$1 near5 notification\$1) same type\$1 and filter\$3 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:01
S14 5	0	(alert\$1 near5 notification\$1) same type\$1 same filter\$3 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 10:57
S14 6	6	(alert\$1 near5 notification\$1) same type\$1 near5 object\$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:01
S14 7	31	(alert\$1 near5 notification\$1) same type\$1 and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:10
S14 8	181	filter\$3 and type same name same location same time and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:11

S14 9	12	filter\$3 and type same name same location same time same (importance or prior\$6) and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:11
S15 0	14	filter\$3 same type same name same location same time and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:13
S15 1	181	filter\$3 and type same name same location same time and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:13
S15 2	10	filter\$3 same (alert\$1 or notification\$1) and type same name same location same time and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:15
S15 3	82	filter\$3 and (alert\$1 or notification\$1) and type same name same location same time and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:15
S15 4	311	filter\$3 same (alert\$1 or notification\$1) and location same time and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:16
S15 5	19	filter\$3 same (alert\$1 or notification\$1).ab. and location same time and (@ad<"19970715" or @rlad<"19970715") not S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/20 16:05